## **Community Development Department**



## — Additions & New Construction — Building Permit Submittal Requirements

To submit a building permit application for new construction (main buildings, accessory buildings, or building additions) email all submittal requirements as PDF documents as attachments or via link to a file share folder to <a href="mailto:permits@albanyca.org">permits@albanyca.org</a>. Failure to submit a complete application will result in your application not being accepted.

result in your application not being accepted.				
Forms				
All forms must be fully completed.				
□ Building Permit Application				
□ Stormwater Requirements Checklist (C.3.)				
Documents & Reports				
□ Soils Investigation. The California Residential Code requires buildings in Seismic Design Category "E" areas, such as Albany, to comply with the California Building Code, which requires a soils investigation for new foundation systems. Upon request, the City <i>may</i> grant an exception in limited cases. Exceptions will only be considered when: 1) The project creates no or minimal change in lot coverage; and 2) the project creates minimal change in live or dead load; and 3) details in the plan set, prepared by a licensed engineer clearly demonstrate that a soils investigation is unnecessary; and 4) a detailed Engineer's Foundation Letter accompanies the application.				
□ Copy of Grant Deed to Subject Property. For creation of J/ADUs only, provide a copy of the subject property grant deed with Legal Property Description and legible official County seal with recordation date and document number.				
□ Private Sewer Lateral Certificate. Projects valued over \$100,000 are required to obtain a Compliance Certificate for the private sewer lateral. Information on obtaining a certificate can be found on the Private Sewer Lateral page program at www.eastbaypsl.com. A separate sewer lateral building permit may be required to obtain compliance.				
Plan Set				
All plan sheets and details shall be to a standard scale and include a scale bar.				
<ul> <li>□ Title Block. Fill in the Title Block area on all sheets with the following information:</li> <li>□ Name, Title, Address, and Contact Information of all design professionals</li> <li>□ Stamp/signature area for design professional to sign and stamp all documents</li> <li>□ Project Site Address</li> </ul>				
☐ Property Owner's Name, Address, Contact Information				
Architectural Plans				
Cover Sheet				

	□ Scope of Work, including square footage of any new construction			
	<ul><li>□ Plan Sheet Index</li><li>□ Legend</li></ul>			
	☐ Applicable Codes			
	☐ Occupancy and Type of Construction			
	☐ Sufficient space for City Stamps (e.g. 4" x 6")			
	<ul> <li>Project Data including Site Address, Property Owner's Name, Designer's Name, APN,</li> <li>Zoning District, Lot Size, Existing and Proposed Lot Coverage and Floor Area Ratio</li> <li>Vicinity Map</li> </ul>			
_	•			
	<b>Work Areas Diagram.</b> Diagrams showing and quantifying work areas, including addition(s), conversion (e.g., non-habitable to habitable), remodeling/refurbishing, porches/decks/stairs, etc.			
	<b>Notice of Action and Signed Acceptance of Conditions.</b> For projects that received approval of a Planning Application (e.g. Design Review/Use Permit) only			
	<b>Mitigation Monitoring and Reporting Program.</b> For projects that were subject to a Mitigated Negative Declaration (MND) or Environmental Impact Report (EIR) under CEQA.			
	Site Plan. Must include:			
	□ North arrow			
	□ Property lines and lot dimensions			
	□ Existing and proposed building footprint(s) (dimensioned), setbacks (required, existing and proposed), and projections such as eaves, balconies, and bays. Show all accessory structures, such as garages, sheds, etc. and all unenclosed accessory structures such as patios, hot tubs, decks etc.			
	☐ Dimensioned areas(s) for existing or proposed vehicle and bicycle parking, trash/solid waste storage areas, curb cuts, driveway layout			
	☐ Include area of public right-of-way (ROW) between curb and property line along property frontage and indicate location of all street trees, utility boxes and poles, streetlamps, fire hydrants and other improvements within the ROW			
	<b>Site Survey.</b> Prepared and stamped by a licensed surveyor, must include dimensioned setbacks of all structures to nearest property line(s)			
	<b>Exterior Elevations.</b> Include existing and proposed exterior building elevations for each building facade. Show plate heights, roof pitch, building height (measured from grade to top of ridge).			
	<b>Cross Sections.</b> For construction of a new main building, provide at least two sections (longitudinal and lateral) through critical points of the proposed building.			
	<b>Floor Plans.</b> Fully dimensioned existing and proposed floor plans including room sizes and use, cross-referenced details, and applicable construction notes. Identify a full kitchen and bath; and if in-unit laundry area is provided.			
	Roof Plans. Fully dimensioned existing and proposed roof plans including slope, eaves,			

	overh	angs, rakes, gables, and roofing material.		
	Refle	cted Ceiling Plan.		
		<b>scape Plan.</b> For construction of a new main building and for single-family residential cts with an FAR of 45% or greater.		
		ling Materials Color Board. Include color photographs or manufacturing specs of all ior finishes, colors, architectural details and roofing materials.		
	Site F	Photos. Insert existing building and site photos.		
Fo	r Proje	ects with New/Replacement Fenestration		
	dimer Flush any fe	and Window Schedule. Provide a door and window schedule that includes a nsions, operation (double-hung, casement, etc.), materials, make and model. <b>Note:</b> If in windows and dividers between glass panes are prohibited. Vinyl is prohibited on enestration visible from the public right-of-way, or on single family projects that have AR greater than 45% or greater.		
	<b>Window Detail</b> . Provide a window detail/section with window glazing recess, materials, muntin specifications, etc.			
St	ructur	al Plans		
	•	and submit the following additional structural information. All plans must be complete, , legible, and scaled.		
	Struc	ctural Plans		
		Foundation/Floor Framing Plan		
		Roof Framing Plan/Details		
		Ceiling Plan/Details		
		nanical, Plumbing and Electrical Plans		
		Location of HVAC equipment and plumbing fixtures		
		Mechanical and Plumbing Plan layout		
		Plumbing Design/Calculations		
		Outlets, fixtures, switches, smoke alarms, carbon monoxide alarms, main service panel and sub-panel sizes		
		Relevant Electrical Notes including Energy Code Lighting Requirements		
	Calcı	ulations, Specifications, and Supplemental Items		
		Structural Calculations		
		Completed Green Building Worksheet (can be found at:		
		www.albanyca.org/departments/planning-zoning/green-building-program)		
		All relevant items must be addressed into the project plan set.		
		2022 California Green Building Standards Code and Albany Amendments		

		— All relevant items must be addressed into the project plan set.  Title 24 Energy Coloulations.
		Title 24 Energy Calculations  Utility Load Calculations (ADUs only) – Must include utilities (electrical, water & gas) proposed to serve the new unit & existing dwelling. *ADUs require min. 100 AMP service.
Civ	/il Pla	ns
	for th or dra causi the p Area size,	rage Plan. Construction plans to include a site-specific drainage plan that is designed e soils identified in the soils report. The drainage plan must show how the site grading ainage system will manage storm water to prevent it from entering nearby buildings or ng hazards. Typically, roof and foundation drainage must be directed to the curb in ublic right-of-way. Drainage to a landscape area is allowed only if the area meets Bay Stormwater Management Agencies Association "Rain Garden" standards for location, and soil conditions. The following information is required on a drainage plan.  Property lines;
		Site topography;
		Roof plan;
		Location of rain leaders;
		Location of drainpipe;
		Direction of surface flow;
		Areas of landscape hardscape and soft scape;
		Change in amount of pervious and impervious coverage
		Pump information, if sump or sewage ejector pumps are proposed indicating installation of an adequately sized dual-pump battery-back-up system.  Rain garden details (if applicable)
		City-Specific Cross Drain detail ST-14, if not already in the plan set
Δd	dition	nal Plan Sheets
		wing forms and detail are required to be included in the project plan set.
		. , , .
_	as pa Conta	Safety Requirements Checklist. Include the completed fire safety checklist prepared art of the fire safety review meeting conducted prior to Building Permit submittal. act Fire Dept. at (510) 528-5775 or <a href="mailto:FireInspector@albanyca.org">FireInspector@albanyca.org</a> to arrange.
	— <i>F</i>	all checked items must be addressed in the project plan set.
	<u>Publ</u>	ic Works Conditions
	Cons	struction Best Management Practices (BMPs)
	proje Ohloi	<b>Protection.</b> For project sites that either have an existing street tree(s) and/or for any ct work that will occur under the drip line of a public tree (e.g. tree along street frontage, ne Way, or public park), include <a href="City of Albany Street Tree Protection Standards">City of Albany Street Tree Protection Standards</a> and t Tree Protection Zone Signage